



NOTES:

- MATERIAL SPECIFICATION
 - INSULATION MATERIAL THERMOPLASTIC.
 - SHELL: COPPER ALLOY/SPCC, T: 0.30mm
PLATING: NICKEL
 - TERMINAL: COPPER ALLOY, T: 0.25mm
PLATING: GOLD/TIN PLATED.
- ELECTRICAL CHARACTERISTIC:
 - INSULATION RESISTANCE: $1000M \Omega$ MIN.
 - CONTACT RESISTANCE: $30m \Omega$ MAX.
 - WITHSTANDING VOLTAGE: 500V AC.
- MECHANICAL CHARACTERISTICS:
 - INSERTION FORCE: 3.57Kgf MAX.
 - EXTRACTION FORCE: 1.02Kgf MIN.

成品图 MANUFACTURE DWG		Coorle Technology							
公差一览表 TOLERANCE UNLESS OTHERWISE									
.X ± 0.15	X. ± 5°	日期 DATE		单位 UNIT	MM	制图 DRAWING		图号 DWG NO.	
.XX ± 0.05	.X ± 2°	审核 CHECKED		比例 SCALE	1:1	设计 DESIGN		品名 NAME	10.0A母外壳
.XXX ± 0.02	.XX ± 1°	核准 APPROVE		角法 VIEW				版本 VER	VER
								页数 SHEET	PG1